









Systems of Equations and Inequalities Unit Review

| What you need to know & be able to do | Things to remember | Examples | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|--|-------------|----------|---|----|---|---|----|----|---|----|----|---|----|----|---|---|--------------------|--------------|-----|----|---|----|----|----|---|---|----|---|
| 1. Solve a system of linear equations by graphing . | Make sure each equation is solved for y. Graph both equations and find where they intersect. | 1. Solve the system. $y = 2x + 3$ $y = 2x - 5$  | 2. Solve the system. $x = y - 8$ $y = -x$  | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | 3. Solve the system of equations. <table border="1" data-bbox="677 1004 1063 1191"><thead><tr><th>x</th><th>$y = x - 4$</th><th>$y = -x$</th></tr></thead><tbody><tr><td>0</td><td>-4</td><td>0</td></tr><tr><td>1</td><td>-3</td><td>-1</td></tr><tr><td>2</td><td>-2</td><td>-2</td></tr><tr><td>3</td><td>-1</td><td>-3</td></tr></tbody></table> | x | $y = x - 4$ | $y = -x$ | 0 | -4 | 0 | 1 | -3 | -1 | 2 | -2 | -2 | 3 | -1 | -3 | 4. Solve the system of equations. <table border="1" data-bbox="1104 1004 1494 1221"><thead><tr><th>x</th><th>$y = \frac{2}{5}x$</th><th>$y = -x - 7$</th></tr></thead><tbody><tr><td>-10</td><td>-4</td><td>3</td></tr><tr><td>-5</td><td>-2</td><td>-2</td></tr><tr><td>0</td><td>0</td><td>-7</td></tr><tr><td>5</td><td>2</td><td>-12</td></tr></tbody></table> | x | $y = \frac{2}{5}x$ | $y = -x - 7$ | -10 | -4 | 3 | -5 | -2 | -2 | 0 | 0 | -7 | 5 |
| x | $y = x - 4$ | $y = -x$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | -4 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | -3 | -1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | -2 | -2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | -1 | -3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| x | $y = \frac{2}{5}x$ | $y = -x - 7$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -10 | -4 | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -5 | -2 | -2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 0 | 0 | -7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | 2 | -12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2. Solve a system of linear equations using substitution . | Use only when one variable is isolated | 5. Solve the system. $y = -5x + 9$ $10x - 7y = -18$ | 6. Solve the system. $y = -8x - 16$ $y = 3x - 5$ | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | |
|--|--|--|--|
| <p>3. Solve a system of linear equations using elimination.</p> | <p>To eliminate a variable using addition or multiplication one coefficient must be positive and one must be negative.</p> | <p>7. Solve the system. $x - y = 11$ $2x + y = 19$</p> | <p>8. Solve the system. $4x = 20 - 8y$ $-4x + 2y = -30$</p> |
| | | <p>9. Solve the system. $2x + 3y = 12$ $5x - y = 13$</p> | <p>10. Solve the system. $-3x - 8y = 0$ $-2x - 10y = 14$</p> |
| <p>4. Special Types of Systems</p> | <p>No Solution:</p> <ul style="list-style-type: none"> False Equations Slopes are the same Y-intercepts are different Parallel Lines <p>Infinite Solutions:</p> <ul style="list-style-type: none"> True Equations Equations are the same One Line | <p>11. Solve the system: $y = 2x - 2$ $-2x + y = 1$</p> | <p>12. Solve the system: $-9x - 3y = -18$ $3x + y = 6$</p> |

| | | | |
|---|--|---|--|
| <p>5. Systems with Real World Scenarios</p> | <p>Define your variables</p> <p>Determine if slope intercept or standard form is best</p> <p>Set up your equations and solve using elimination or substitution.</p> <p>Break Even Point: where the cost equal the income</p> | <p>13. One high speed internet provider has a \$50 set up fee and costs \$30 per month. Another provider has no set up fee and costs \$40 per month. In how many months will both providers costs the same? What will that cost be?</p> | <p>14. Sam spent \$24.75 to buy 12 flowers for his mother. Roses cost \$2.50 each and daisies costs \$1.75 each. How many of each flower type did he purchase?</p> |
| | | <p>15. Explain what a break-even point is.</p> <p>What will the income and cost always be at the break-even point?</p> <p>What is the profit at the break-even point?</p> | <p>16. As a fundraiser for a band trip, AHS plans to sell hats with the school logo. The company producing the hats charges \$240 for the design and set up plus \$8 per hat. The band members will sell the hats for \$12 each. What is the break-even point? What will the cost and income be?</p> |
| <p>6. Graph a linear inequality</p> | <p>Make sure equation is solved for y</p> <p>Graph the line</p> <p>Determine if dashed or solid</p> <p>Determine whether to shade below or above the line</p> <p>*Golden Rule of Inequalities can apply here.</p> | <p>17. Graph $y > -\frac{1}{5}x + 1$</p>  | <p>18. $7x - 5y \geq -20$</p>  |

| | | | |
|---|---|---|---|
| <p>7. Solve a system of linear inequalities by graphing.</p> | <p>Determine if you have a solid or dashed line</p> <p>Then determine whether to shade above or below.</p> <p>Find the region where the shading overlapped.</p> | <p>19. Solve the system. Label the different regions as solution or not a solution.</p> $y < -3x + 2$ $y \geq x - 1$  | <p>20. Solve the system. Label the different regions as solution or not a solution.</p> $x + y > 4$ $y > x - 1$  |
| <p>8. Real World with Systems of Inequalities</p> | | <p>21. Write a system to describe: The maximum capacity for an elevator is 15 people and 3000 pounds. It is estimated that adults weight 200 pounds and children under 16 weight 100 pounds.</p> | <p>22. Write a system to describe: Megan is selling tickets to Allatoona's production of Footloose. Allatoona's theater holds at most 700 people. Children's tickets are \$6.00 and adult tickets are \$10.00. She hopes to sell at least \$500 worth of tickets.</p> |
| <p>9. Naming Linear Inequalities and Systems</p> | <p>Identify:</p> <ul style="list-style-type: none"> *Slope *Y-intercept *Type of Line *Shading | <p>23. Name the inequality.</p>  | <p>24. Name the system of inequalities.</p>  |

Multiple Choice Practice

25. Taxi Company A charges \$4 plus \$0.50 per mile. Taxi Company B charges \$5 plus \$0.25 per mile. Which system best represents this problem?

(a) $Y = 4x + 0.5$
 $Y = 5x + 0.25$

(c) $Y = 0.5x + 4$
 $Y = 0.25x + 5$

(b) $Y = 4x + 0.25$

$Y = 5x + 0.5$

(d) $Y = 0.5x + 5$

$Y = 0.25x + 4$

26. The Fun Guys game rental store charges an annual fee of \$5 plus \$5.50 per game rented. The Game Bank charges an annual fee of \$17 plus \$2.50 per game. For how many game rentals will the cost be the same at both stores? What is the cost?

(a) Month 10; 550

(c) Month 9; 580

(b) Month 8; 580

(d) Month 11; 550

27. Solve the system of equations:
 $4x - 4y = -16$
 $x - 2y = -12$

(a) (8, -4)

(c) (4, 8)

(b) (-2, 4)

(d) (4, -8)

28. Which point is a solution of the system:
 $2x + y \geq 3$
 $y \geq -2x + 1$

(a) (0, 0)

(c) (0, 1)

(b) (1, 0)

(d) (1, 1)


29. Which system of inequalities best describes the graph?

(a) $y > -2$
 $y > x + 1$

(c) $y > -2$
 $y < x + 1$

(b) $y < -2$
 $y > x + 1$


(d) $y < -2$
 $y < x + 1$



30. The graph to the right shows the cost of two phone plans. How many minutes does a person need to call each month so that Plan B is the less expensive plan to use?

- (a) Less than 10 minutes
- (b) Less than 40 minutes
- (c) More than 40 minutes
- (d) More than 30 minutes but less than 40 minutes

Use the graph below to answer the question.



31. A student store sold a total of 55 shirts for \$620. The shirts sold were either red or white. If the red shirts sold for \$12 each and the white sold for \$10 each, how many of each color shirt were sold?

- (a) 20 red, 35 white
- (b) 27 red, 28 white
- (c) 28 red, 27 white
- (d) 35 red, 20 white

32. Consider each system of equations below. Just by looking at the equations, tell how many solutions the system will have and explain why.

a.
$$\begin{cases} y = 4x - 3 \\ y = 4x + 2 \end{cases}$$

b.
$$\begin{cases} y = \frac{1}{3}x + 5 \\ y = \frac{1}{3}x + 5 \end{cases}$$

c.
$$\begin{cases} y = -x + 2 \\ y = \frac{1}{3}x + 6 \end{cases}$$

d.
$$\begin{cases} y = -\frac{3}{4}x + 5 \\ y = -\frac{3}{4}x - 4 \end{cases}$$